

Quassel IRC - Bug #1036

Removing Network, "dangling" backlogs and buffers in db.

11/08/2010 02:26 PM - JabLuszko

Status:	New	Start date:	11/08/2010
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Quassel Core	Estimated time:	0.00 hour
Target version:		OS:	Any
Version:	0.6.2		
<b>Description</b>			
<p>When you remove Network via Quassel Client there are still some backlogs/buffers left which prevent users migration from sqlite to postgresql.</p>			
<pre>sqlite&gt; select br.bufferid, br.networkid, br.buffername, br.buffertype from buffer br left join ne twork nw using(networkid) where nw.networkid is null; 11 2  1 229 8 #rootnode 2 230 8 #offchat 2 231 0 #test 2 sqlite&gt; select * from backlog where bufferid=11; 541 1272246369 11 1024 0 1 Disconnecting. (Quit.) sqlite&gt; select * from backlog where bufferid=229; 875826 1287598103 229 128 0 15642 Client Quit sqlite&gt; select * from backlog where bufferid=230; 875827 1287598104 230 128 0 15642 Client Quit sqlite&gt; select * from backlog where bufferid=231; 875828 1287598104 231 128 0 15642 Client Quit</pre>			
<p>Looks like the quassel is re-inserting my quits to database, even if the Network is being deleted. It is happening only for some buffers, not all.</p>			
<p>I was running quasselcore for two users, it only happend for one of them when he was deleting all his networks at once.</p>			