

Quassel IRC - Feature #1040

Commandline option for outgoing interface

12/06/2010 02:58 PM - katastrophe

Status:	New	Start date:	12/06/2010
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Quassel Core	Estimated time:	0.00 hour
Target version:			
OS:	Any		
Description Usecase is: A host with multiple addresses on eth0. No Problem to select the address the host listens on, but the connections the core does to the irc servers are always from the first address which is shown with "ip addr". Would be great to be able to give a commandline option to the core similar to --listen to select the outgoing address. I dont know if this is even possible with posix/qt api or similar.			
Related issues: Has duplicate Quassel IRC - Feature #1255: Ability to select source IP for ou... Closed 12/03/2013			

History

#1 - 02/19/2011 04:21 AM - katastrophe

ok, isnt possible yet with qt.

<http://bugreports.qt.nokia.com/browse/QTBUG-121>

with posix it is, just do bind to address with port 0 before connect.

as its possible to give QTcpSocket a sockfd, would be a temporary hack to give it a socket created with posix api ok till qt implements that?

i really need it on a host with several cores and v6 addresses. dont know how that behaves on other platforms as linux.

for the user it could either be a core commandline option or per irc connection or both (set standard via commandline and be able to change it in irc server settings)

#2 - 06/22/2014 01:28 PM - seezer

We could support it for Qt5 builds (see <http://qt-project.org/doc/qt-5/qabstractsocket.html#bin>).

Perhaps a simple per user mapping could be done analog to --add-user cli argument?

#3 - 03/19/2016 02:42 PM - ZeiP

Any advances on this? It's a quite basic feature of an IRC client, it'd be very useful to have.