# Quassel IRC - Bug #147

# Cleanup removed buffers properly

04/14/2008 09:20 PM - Sputnick

Status:	Resolved	Start date:	
Priority:	High	Due date:	
Assignee:	EgS	% Done:	0%
Category:	General / Unspecified	Estimated time:	0.00 hour
Target version:	0.2.0-rc1		
Version:	0.13.1	OS:	Any

## Description

Found this when removing a network (via dialog). The network is removed from the database (in CoreSession), and there is a networkRemoved() signal sent back to the client. No further action is done.

This has the effect that a) the BufferSyncer does not get updated, causing it to spit our warning about unknown buffers; b) buffers in the client don't get deleted (they are not shown anymore though).

Suggested solution, pending further review/evaluation:

1) Acquire a list of Bufferlds belonging to the network prior to deletion. A database interface should be a sane solution for that.

2) Call BufferSyncer::removeBuffer(). This should nicely clean up everything in Client, if I'm not mistaken.3) Remove the network as usual.

Special care needs to be taken on the client side for a currently selected buffer, joined channels and the status buffer. These get special treatment for removal right now - we need to make sure that we sanely remove those, maybe by emitting a networkRemoved() signal to client *before* removing the buffers?

### Associated revisions

Revision 04aca64669b8926c2174b54247dad9d66aaca790 - 06/22/2008 08:57 PM - Marcus Eggenberger

Fixing BR #147. Needs core update.

## Revision 04aca646 - 06/22/2008 08:57 PM - Marcus Eggenberger

Fixing BR #147. Needs core update.

## Revision 52a7b4d0f289f075aa386445a47d876743bcb6d0 - 06/23/2008 01:12 PM - Marcus Eggenberger

Fixing BR #147. Needs core update.

### Revision 52a7b4d0 - 06/23/2008 01:12 PM - Marcus Eggenberger

Fixing BR #147. Needs core update.

### History

#1 - 06/23/2008 12:02 AM - EgS fixed in current git. needs core update