Quassel IRC - Bug #1488

Store and display a STATUSMSG correctly

07/20/2018 12:46 PM - genius3000

Status:	New	Start date:	07/20/2018
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:	Some future release		
Version:	0.12.4	os:	Any

Description

This is just to track and not forget that Quassel's handling of a STATUSMSG needs more work. While mamarley's patch fixed the major issue of treating them as a query, displaying them without the appropriate information (prefix character sent to) is technically incorrect

As stated in the original issue (#1399), a STATUSMSG is used to communicate with only the users of a specified status (prefix) in a channel. We need to show this prefix to the client, so the end user knows it was a STATUSMSG.

First half: core: these are currently saved as a STATUSMSG type, but the prefix is lost (iirc). We'll need to save this prefix, I'm thinking the best is to add a new column of 'statusmsg'.

Second hand: client: displaying that it's a STATUSMSG. I like the method described in the original issue, i.e

"<genius3000:#mychan>" would be shown as the sender of the message. This may be problematic with view column sizing, and perhaps prepending a "@#mychan" to the message display would be better?

Related issues:

Related to Quassel IRC - Bug #1399: Quassel shows STATUSMSG messages as gueries Resolved 03/10/2016

History

#1 - 07/20/2018 12:46 PM - genius3000

- Related to Bug #1399: Quassel shows STATUSMSG messages as queries added

05/23/2025 1/1