

Quassel IRC - Bug #351

Quassel currently doesn't compile on Mac OS

10/13/2008 02:14 AM - EgS

Status:	Resolved	Start date:	
Priority:	Urgent	Due date:	
Assignee:	Sputnick	% Done:	0%
Category:	Quassel GUI (Qt)	Estimated time:	0.00 hour
Target version:	0.3.1		
Version:	0.13.1	OS:	Any

Description

My Guess is that it's due to the lack of QtDBus...

Additional information:

EGS-UNIT-02:trunk marcus\$ cd nightlyBuild/

EGS-UNIT-02:nightlyBuild marcus\$ rm #*

~~EGS-UNIT-02:nightlyBuild marcus\$ make -DQT=/Developer/Trolltech/Qt-4.4.0_universal_Tiger/ -DDEPLOY=on..~~

- The C compiler identification is GNU

-- The CXX compiler identification is GNU

-- Check for working C compiler: /usr/bin/gcc

-- Check for working C compiler: /usr/bin/gcc -- works

-- Detecting C compiler ABI info

-- Detecting C compiler ABI info - done

-- Check for working CXX compiler: /usr/bin/c++

-- Check for working CXX compiler: /usr/bin/c++ -- works

-- Detecting CXX compiler ABI info

-- Detecting CXX compiler ABI info - done

-- Found execinfo (built-in)

-- Looking for Q_WS_X11

-- Looking for Q_WS_X11 - not found.

-- Looking for Q_WS_WIN

-- Looking for Q_WS_WIN - not found.

-- Looking for Q_WS_QWS

-- Looking for Q_WS_QWS - not found.

-- Looking for Q_WS_MAC

-- Looking for Q_WS_MAC - found

-- Found Qt-Version 4.4.0 (using /Developer/Trolltech/Qt-4.4.0_universal_Tiger/bin/qmake)

-- Found OpenSSL: /usr/lib/libssl.dylib

-- Found OpenSSL support in Qt

-- QtDBus not found, disabling D-Bus support

-- Found QtWebKit, enabling WebKit support

-- Compile Quassel icons into the binary

-- Compile Oxygen icon theme subset into the binary

-- Including languages: da de fr nb_NO

Qt QTDBUS library not found.

Qt QTDBUS library not found.

-- Configuring done

-- Generating done

-- Build files have been written to: /Users/marcus/e.Dev/Quassel/trunk/nightlyBuild

EGS-UNIT-02:nightlyBuild marcus\$ make -j3

Scanning dependencies of target i18n

Scanning dependencies of target genversion

Scanning dependencies of target icons

[0%] Generating quassel.qm

[0%] Generating qrc_hicolor.cxx

[0%] Generating qrc_oxygen.cxx

[0%] Generating quassel_da.qm

[0%] Generating quassel_de.qm

[0%] Generating quassel_fr.qm

[0%] Generating quassel_nb_NO.qm

XML error: Parse error at line 45, column 989 (tag mismatch).

release warning: For some reason, I cannot load '/Users/marcus/e.Dev/Quassel/trunk/i18n/quassel_nb_NO.ts'

```
[ 0%] Generating qrc_i18n.cxx
[ 2%] Built target i18n
[ 2%] Generating moc_syncableobject.cxx
[ 2%] Building CXX object CMakeFiles/genversion.dir/src/common/genversion.cpp.o
[ 2%] Generating moc_aliasmanager.cxx
[ 2%] Generating moc_backlogmanager.cxx
[ 2%] Generating moc_buffersyncer.cxx
[ 3%] Generating moc_bufferviewconfig.cxx
[ 3%] Generating moc_bufferviewmanager.cxx
[ 3%] Generating moc_coreinfo.cxx
[ 3%] Generating moc_identity.cxx
[ 4%] Generating moc_ircchannel.cxx
[ 4%] Generating moc_irclisthelper.cxx
[ 4%] Generating moc_ircuser.cxx
[ 5%] Generating moc_network.cxx
[ 5%] Generating moc_settings.cxx
[ 5%] Generating moc_signalproxy.cxx
Scanning dependencies of target mod_common
Linking CXX executable genversion
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/aliasmanager.cpp.o
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/backlogmanager.cpp.o
[ 6%] Built target genversion
Scanning dependencies of target genversion_run
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferinfo.cpp.o
[ 6%] Built target genversion_run
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/buffersyncer.cpp.o
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferviewconfig.cpp.o
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferviewmanager.cpp.o
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/cliparser.cpp.o
[ 7%] Built target icons
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/identity.cpp.o
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/ircchannel.cpp.o
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/ircuser.cpp.o
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/logger.cpp.o
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/message.cpp.o
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/network.cpp.o
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/quassel.cpp.o
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/settings.cpp.o
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/signalproxy.cpp.o
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/syncableobject.cpp.o
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/util.cpp.o
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_aliasmanager.cxx.o
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_backlogmanager.cxx.o
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_buffersyncer.cxx.o
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_bufferviewconfig.cxx.o
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_bufferviewmanager.cxx.o
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_coreinfo.cxx.o
[ 12%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_identity.cxx.o
[ 12%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_ircchannel.cxx.o
[ 12%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_irclisthelper.cxx.o
[ 12%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_ircuser.cxx.o
[ 13%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_network.cxx.o
[ 13%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_settings.cxx.o
[ 13%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_signalproxy.cxx.o
[ 13%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_syncableobject.cxx.o
[ 14%] Building CXX object src/common/CMakeFiles/mod_common.dir/_/_/i18n/qrc_i18n.cxx.o
Linking CXX static library libmod_common.a
[ 14%] Built target mod_common
[ 15%] [ 16%] [ 16%] Generating moc_treemodel.cxx
Generating moc_abstractmessageprocessor.cxx
Generating qrc_sql.cxx
[ 16%] Generating moc_buffermodel.cxx
[ 16%] Generating moc_client.cxx
[ 17%] Generating moc_clientbacklogmanager.cxx
[ 17%] Generating moc_clientcoreinfo.cxx
```

[17%] Generating moc_clientirclisthelper.cxx
 [17%] Generating moc_clientsyncer.cxx
 [18%] Generating moc_irclistmodel.cxx
 [18%] Generating moc_messagefilter.cxx
 [18%] Generating moc_messagemodel.cxx
 [19%] [19%] Generating moc_networkmodel.cxx
 Generating moc_mappedselectionmodel.cxx
 [19%] Generating moc_quasselui.cxx
 [19%] Generating moc_selectionmodelsynchronizer.cxx
 [19%] Generating moc_abstractsqlstorage.cxx
 Scanning dependencies of target mod_client
 [20%] Generating moc_basichandler.cxx
 [20%] Generating moc_core.cxx
 [20%] Generating moc_corealiasmanager.cxx
 [20%] Generating moc_coreapplication.cxx
 [21%] Generating moc_corebacklogmanager.cxx
 [21%] Generating moc_corebufferviewconfig.cxx
 [21%] Generating moc_corebufferviewmanager.cxx
 [22%] Generating moc_corecoreinfo.cxx
 [22%] Generating moc_coreirclisthelper.cxx
 [22%] Generating moc_corenetwork.cxx
 [22%] Generating moc_coresession.cxx
 [23%] Generating moc_ctcphandler.cxx
 [23%] Generating moc_ircserverhandler.cxx
 [23%] Generating moc_networkconnection.cxx
 [23%] Generating moc_sqlitestorage.cxx
 [24%] Generating moc_storage.cxx
 [24%] Generating moc_sessionthread.cxx
 [24%] Generating moc_userinputhandler.cxx
 [24%] Generating moc_sslserver.cxx
 Scanning dependencies of target mod_core
 [24%] [24%] Building CXX object src/client/CMakeFiles/mod_client.dir/abstractmessageprocessor.cpp.o
 Building CXX object src/client/CMakeFiles/mod_client.dir/backlogrequester.cpp.o
 [25%] Building CXX object src/core/CMakeFiles/mod_core.dir/abstractsqlstorage.cpp.o
 [25%] Building CXX object src/client/CMakeFiles/mod_client.dir/buffermodel.cpp.o
 [26%] Building CXX object src/client/CMakeFiles/mod_client.dir/buffersettings.cpp.o
 [26%] Building CXX object src/core/CMakeFiles/mod_core.dir/basichandler.cpp.o
 [26%] Building CXX object src/client/CMakeFiles/mod_client.dir/client.cpp.o
 [26%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientbacklogmanager.cpp.o
 [26%] Building CXX object src/core/CMakeFiles/mod_core.dir/core.cpp.o
 [26%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientirclisthelper.cpp.o
 [27%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientsettings.cpp.o
 [27%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientsyncer.cpp.o
 [27%] Building CXX object src/core/CMakeFiles/mod_core.dir/corealiasmanager.cpp.o
 [27%] Building CXX object src/client/CMakeFiles/mod_client.dir/irclistmodel.cpp.o
 [27%] Building CXX object src/client/CMakeFiles/mod_client.dir/messagefilter.cpp.o
 [28%] Building CXX object src/client/CMakeFiles/mod_client.dir/messagemodel.cpp.o
 [29%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreapplication.cpp.o
 [29%] Building CXX object src/client/CMakeFiles/mod_client.dir/mappedselectionmodel.cpp.o
 [29%] Building CXX object src/client/CMakeFiles/mod_client.dir/networkmodel.cpp.o
 [29%] Building CXX object src/core/CMakeFiles/mod_core.dir/corebacklogmanager.cpp.o
 [29%] Building CXX object src/client/CMakeFiles/mod_client.dir/quasselui.cpp.o
 [29%] Building CXX object src/core/CMakeFiles/mod_core.dir/corebufferviewconfig.cpp.o
 [30%] Building CXX object src/client/CMakeFiles/mod_client.dir/selectionmodelsynchronizer.cpp.o
 [30%] Building CXX object src/core/CMakeFiles/mod_core.dir/corebufferviewmanager.cpp.o
 [30%] [30%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_abstractmessageprocessor.cxx.o
 Building CXX object src/client/CMakeFiles/mod_client.dir/treemodel.cpp.o
 [31%] Building CXX object src/core/CMakeFiles/mod_core.dir/corecoreinfo.cpp.o
 [31%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_buffermodel.cxx.o
 [32%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_client.cxx.o
 [32%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientbacklogmanager.cxx.o
 [32%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreirclisthelper.cpp.o
 [32%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientcoreinfo.cxx.o
 [32%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientirclisthelper.cxx.o
 [33%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientsyncer.cxx.o
 [33%] Building CXX object src/core/CMakeFiles/mod_core.dir/corenetwork.cpp.o
 [33%] Building CXX object src/core/CMakeFiles/mod_core.dir/coresession.cpp.o

```

[ 33%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_irclistmodel.cxx.o
[ 33%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_messagefilter.cxx.o
[ 34%] Building CXX object src/core/CMakeFiles/mod_core.dir/coresettings.cpp.o
[ 34%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreusersettings.cpp.o
[ 34%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_messagemodel.cxx.o
[ 34%] Building CXX object src/core/CMakeFiles/mod_core.dir/ctcphandler.cpp.o
[ 34%] Building CXX object src/core/CMakeFiles/mod_core.dir/ircserverhandler.cpp.o
[ 35%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_networkmodel.cxx.o
/Users/marcus/e.Dev/Quassel/trunk/src/core/ircserverhandler.cpp:801:4: warning: #warning "Implement handle329 (Channel creation time)"
/Users/marcus/e.Dev/Quassel/trunk/src/core/ircserverhandler.cpp:801:4: warning: #warning "Implement handle329 (Channel creation time)"
[ 36%] Building CXX object src/core/CMakeFiles/mod_core.dir/networkconnection.cpp.o
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_mappedselectionmodel.cxx.o
[ 36%] Building CXX object src/core/CMakeFiles/mod_core.dir/sessionthread.cpp.o
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_quasselui.cxx.o
[ 36%] Building CXX object src/core/CMakeFiles/mod_core.dir/sqlitestorage.cpp.o
[ 36%] Building CXX object src/core/CMakeFiles/mod_core.dir/storage.cpp.o
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_selectionmodelsynchronizer.cxx.o
[ 37%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_treemodel.cxx.o
[ 38%] Building CXX object src/core/CMakeFiles/mod_core.dir/userinputhandler.cpp.o
Linking CXX static library libmod_client.a
[ 38%] Building CXX object src/core/CMakeFiles/mod_core.dir/sslserver.cpp.o
[ 38%] Built target mod_client
[ 38%] Generating moc_tabcompleter.cxx
[ 39%] Generating moc_abstractbuffercontainer.cxx
[ 39%] Generating moc_abstractitemview.cxx
[ 39%] Generating moc_abstractnotificationbackend.cxx
[ 39%] Generating moc_action.cxx
[ 40%] Generating moc_actioncollection.cxx
[ 40%] Generating moc_bufferview.cxx
[ 40%] Generating moc_bufferviewfilter.cxx
[ 40%] Generating moc_clearablelineedit.cxx
[ 41%] Generating moc_clickablelabel.cxx
[ 41%] Generating moc_colorbutton.cxx
[ 41%] Generating moc_iconloader.cxx
[ 41%] Generating moc_inputline.cxx
[ 42%] Generating moc_nickview.cxx
[ 42%] Generating moc_nickviewfilter.cxx
[ 42%] Generating moc_settingspage.cxx
Scanning dependencies of target mod_uisupport
[ 42%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_abstractsqlstorage.cxx.o
[ 42%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_basichandler.cxx.o
[ 43%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_core.cxx.o
[ 43%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/abstractbuffercontainer.cpp.o
[ 43%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corealiasmanager.cxx.o
[ 43%] [ 43%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corebacklogmanager.cxx.o
Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coreapplication.cxx.o
[ 43%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/abstractitemview.cpp.o
[ 44%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corebufferviewconfig.cxx.o
[ 44%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/abstractnotificationbackend.cpp.o
[ 44%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corebufferviewmanager.cxx.o
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/action.cpp.o
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/actioncollection.cpp.o
[ 45%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corecoreinfo.cxx.o
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/bufferview.cpp.o
[ 45%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coreirclisthelper.cxx.o
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/bufferviewfilter.cpp.o
[ 46%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corenetwork.cxx.o
[ 46%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coresession.cxx.o
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/clearablelineedit.cpp.o
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/clickablelabel.cpp.o
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/colorbutton.cpp.o
[ 47%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_ctcphandler.cxx.o
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/icon.cpp.o
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/iconloader.cpp.o
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/inputline.cpp.o

```

```

[ 48%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_ircserverhandler.cxx.o
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/nickview.cpp.o
[ 49%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_networkconnection.cxx.o
[ 49%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/nickviewfilter.cpp.o
[ 50%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/settingspage.cpp.o
[ 50%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_sqlitestorage.cxx.o
[ 50%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/tabcompleter.cpp.o
[ 50%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/uissettings.cpp.o
[ 50%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_storage.cxx.o
[ 50%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/uistyle.cpp.o
[ 51%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_abstractbuffercontainer.cxx.o
[ 51%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_sessionthread.cxx.o
[ 52%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_userinputhandler.cxx.o
[ 52%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_sslserver.cxx.o
[ 52%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_abstractitemview.cxx.o
[ 52%] Building CXX object src/core/CMakeFiles/mod_core.dir/qrc_sql.cxx.o
[ 52%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_abstractnotificationbackend.cxx.o
[ 52%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_action.cxx.o
Linking CXX static library libmod_core.a
[ 52%] Built target mod_core
Scanning dependencies of target quasselcore
[ 52%] Building CXX object src/CMakeFiles/quasselcore.dir/common/main.cpp.o
[ 53%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_actioncollection.cxx.o
[ 53%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_bufferview.cxx.o
Linking CXX executable ../quasselcore
[ 53%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_bufferviewfilter.cxx.o
[ 53%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_clearablelineedit.cxx.o
[ 54%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_clickablelabel.cxx.o
[ 54%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_colorbutton.cxx.o
[ 54%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_iconloader.cxx.o
[ 54%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_inputline.cxx.o
[ 55%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_nickview.cxx.o
[ 55%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_nickviewfilter.cxx.o
[ 55%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_settingspage.cxx.o
[ 55%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_tabcompleter.cxx.o
Linking CXX static library libmod_uisupport.a
/usr/bin/ranlib: for architecture: i386 file: libmod_uisupport.a(abstractnotificationbackend.cpp.o) has no symbols
/usr/bin/ranlib: for architecture: ppc file: libmod_uisupport.a(abstractnotificationbackend.cpp.o) has no symbols
[ 55%] Built target mod_uisupport
[ 56%] [ 56%] Generating moc_aboutdlg.cxx
Generating ui_servereditdlg.h
[ 56%] Generating moc_bufferwidget.cxx
[ 57%] Generating moc_channellistdlg.cxx
[ 57%] Generating moc_chatlinemodel.cxx
[ 57%] Generating moc_chatmonitorfilter.cxx
[ 57%] [ 58%] Generating moc_chatscene.cxx
Generating moc_chatmonitorview.cxx
[ 58%] Generating moc_chatview.cxx
[ 58%] Generating moc_chatviewsearchbar.cxx
[ 58%] Generating moc_chatviewsearchcontroller.cxx
[ 59%] Generating moc_columnhandleitem.cxx
[ 59%] Generating moc_coreconfigwizard.cxx
[ 59%] Generating moc_coreconnectdlg.cxx
[ 59%] Generating moc_coreinfodlg.cxx
[ 60%] Generating moc_debugconsole.cxx
[ 60%] [ 60%] Generating moc_inputwidget.cxx
Generating moc_jumpkeyhandler.cxx
[ 60%] [ 61%] Generating moc_mainwin.cxx
Generating moc_msgprocessorstatuswidget.cxx
[ 61%] [ 61%] Generating moc_nicklistwidget.cxx
Generating moc_qtui.cxx
[ 62%] Generating moc_qtuiapplication.cxx
[ 62%] Generating moc_qtuimessageprocessor.cxx
[ 62%] Generating moc_settingsdlg.cxx
[ 62%] Generating moc_settingspagedlg.cxx
[ 63%] [ 63%] Generating moc_systraynotificationbackend.cxx
Generating moc_taskbarnotificationbackend.cxx

```

[63%] [63%] Generating moc_titlesetter.cxx
 Generating moc_topiclabel.cxx
 [64%] Generating moc_topicwidget.cxx
 [64%] Generating moc_verticaldock.cxx
 [64%] [64%] Generating moc_aliasesettingspage.cxx
 Generating moc_appearancesettingspage.cxx
 [65%] [65%] Generating moc_bufferviewsettingspage.cxx
 Generating moc_colorsettingspage.cxx
 [65%] [65%] Generating moc_fontssettingspage.cxx
 Generating moc_generalsettingspage.cxx
 [66%] [66%] Generating moc_highlightsettingspage.cxx
 Generating moc_identitiesettingspage.cxx
 [66%] Generating moc_networkssettingspage.cxx
 [66%] Generating moc_aliasesmodel.cxx
 [67%] Generating moc_notificationssettingspage.cxx
 [67%] Generating ui_aboutdlg.h
 [67%] Generating ui_bufferviewwidget.h
 [67%] Generating ui_bufferwidget.h
 [68%] Generating ui_channellistdlg.h
 [68%] Generating ui_chatviewsearchbar.h
 [68%] Generating ui_coreaccounteditdlg.h
 [68%] Generating ui_coreconfigwizardintropage.h
 [69%] Generating ui_coreconfigwizardadminuserpage.h
 [69%] Generating ui_coreconfigwizardstorageselectionpage.h
 [69%] Generating ui_coreconfigwizardsyncpage.h
 [69%] Generating ui_coreconnectdlg.h
 [70%] Generating ui_coreinfodlg.h
 [70%] [70%] Generating ui_debugconsole.h
 Generating ui_inputwidget.h
 [70%] Generating ui_mainwin.h
 [71%] Generating ui_msgprocessorstatuswidget.h
 [71%] [71%] Generating ui_nicklistwidget.h
 Generating ui_settingsdlg.h
 [71%] Generating ui_settingspagedlg.h
 [72%] Generating ui_topicwidget.h
 [72%] Generating ui_aliasesettingspage.h
 [72%] Generating ui_appearancesettingspage.h
 [72%] Generating ui_bufferviewsettingspage.h
 [73%] Generating ui_colorsettingspage.h
 [73%] Generating ui_fontssettingspage.h
 [73%] Generating ui_generalsettingspage.h
 [73%] Generating ui_highlightsettingspage.h
 [74%] Generating ui_identitiesettingspage.h
 [74%] Generating ui_networkssettingspage.h
 [74%] [74%] Generating ui_buffervieweditdlg.h
 Generating ui_createidentitydlg.h
 [75%] [75%] Generating ui_saveidentitiesdlg.h
 Generating ui_networkeditdlg.h
 [75%] Generating ui_nickeditdlg.h
 Scanning dependencies of target mod_qtui
 [76%] [76%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/aboutdlg.cpp.o
 Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/bufferwidget.cpp.o
 [76%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/channellistdlg.cpp.o
 [77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatitem.cpp.o
 [77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatline.cpp.o
 [77%] Built target quasselcore
 [77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatlinemodel.cpp.o
 [77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatlinemodelitem.cpp.o
 [78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatmonitorfilter.cpp.o
 [78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatmonitorview.cpp.o
 [78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatscene.cpp.o
 [78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatview.cpp.o
 [79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatviewsearchbar.cpp.o
 [79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatviewsearchcontroller.cpp.o
 [79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatviewsettings.cpp.o
 [79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/columnhandleitem.cpp.o
 [80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/coreconfigwizard.cpp.o

```

[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/coreconnectdlg.cpp.o
[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/coreinfodlg.cpp.o
[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/debugconsole.cpp.o
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/inputwidget.cpp.o
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/jumpkeyhandler.cpp.o
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/mainwin.cpp.o
In file included from /Users/marcus/e.Dev/Quassel/trunk/src/qtui/mainwin.cpp:51:
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:30:42: error: desktopnotificationinterface.h: No such file or
directory
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:31:48: error: ui_desktopnotificationconfigwidget.h: No such
file or directory
In file included from /Users/marcus/e.Dev/Quassel/trunk/src/qtui/mainwin.cpp:51:
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:30:42: error: desktopnotificationinterface.h: No such file or
directory
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:31:48: error: ui_desktopnotificationconfigwidget.h: No such
file or directory
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/msgprocessorstatuswidget.cpp.o
[ 82%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/nicklistwidget.cpp.o
[ 82%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/qtui.cpp.o
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:66: error: 'org' has not been declared
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:66: error: ISO C++ forbids declaration of 'Notifications' with
no type
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:66: error: expected ';' before '**' token
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:92: error: 'DesktopNotificationConfigWidget' in namespace
'Ui' does not name a type/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:66: error: 'org' has not been
declared
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:66: error: ISO C++ forbids declaration of 'Notifications' with
no type
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:66: error: expected ';' before '**' token
/Users/marcus/e.Dev/Quassel/trunk/src/qtui/desktopnotificationbackend.h:92: error: 'DesktopNotificationConfigWidget' in namespace
'Ui' does not name a type

lipo: can't figure out the architecture type of: /var/folders/cH/cHGhe6XJG6WCw8b1Fnq44++++TI/-Tmp-//ccOVL0ud.out
make2: * [src/qtui/CMakeFiles/mod_qtui.dir/mainwin.cpp.o] Error 1
make2: Waiting for unfinished jobs....
make1: [src/qtui/CMakeFiles/mod_qtui.dir/all] Error 2
make: * [all] Error 2
EGS-UNIT-02:nightlyBuild marcus$

```

History

#1 - 10/13/2008 11:25 AM - Sputnik

Yes, indeed one #ifdef has been forgotten :)

Fixed in <<http://git.quassel-irc.org/?p=quassel.git;a=commit;h=6a590134d0ceca46e83a6b5b24e44550b68e9b4b>>