## Quassel IRC - Feature #478

# Different charsets for different channels/queries

01/11/2009 11:42 AM - hades

Status:	Confirmed	Start date:	01/11/2009
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	General / Unspecified	Estimated time:	0.00 hour
Target version:			
os:	Any		

# Description

It would be nice if the fallback charset and "send messages in" charset could be set up per buffer.

For example, on #debian-russian the charset is KOI8-R, although everywhere else on freenode its UTF-8.

(This also could be a bug report in the mental institution, where the guys from Debian-russian belong, but that's another question).

### History

#### #1 - 01/11/2009 12:01 PM - Sputnick

- Status changed from New to Confirmed

This is already possible in-code (i.e., Quassel's encoding mechanisms already support per-channel and even per-nick encodings), but we lack a config UI for this. We'd need a way to specify this (and possibly other) per-buffer setting(s) without confusing users too much.

### #2 - 03/21/2009 03:21 PM - salyavin

I just thought I would mention I need per channel encoding as well.

### #3 - 05/31/2021 10:10 AM - Erus\_Iluvatar

Sorry if this is like a "necrobump", but I've discovered this IRC client recently.

I was looking into setting encoding per channel (using a french server which uses UTF-8 on the main channels, but ISO-8859-15 on some others), but it looks like this feature request never got much traction.

If the only blocker is the UI, maybe it could be "hidden" behind a command like the channel list is behind /list?

05/24/2025 1/1