

Quassel IRC - Feature #539

Add basic command line interface options for server/port/channel/username connections using internal core

02/11/2009 03:18 AM - cleary

<b>Status:</b>	New	<b>Start date:</b>	02/11/2009
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>OS:</b>	Linux		
<b>Description</b>			
<p>We would like to make quassel the default irc client on the upcoming sidux 2009-02 release (due in approx 2 months) which will be the first release to include kde4 - <a href="http://www.sidux.com">http://www.sidux.com</a></p> <p>Currently we provide a support link via /usr/bin/sidux-irc which analyses the environment and installed irc clients, then does a default connection to main sidux support channel with a default+random suffix username.</p> <p>We would like to be able to include quassel in this list of supported irc clients, but currently there is no way to initiate a direct connection to the specific server/channel/port/username with cli options.</p> <p>As an example, the konversation startup looks like: exec "\$KONVERSATION" --server "\$IRC_SERVER" --port "\$IRC_PORT" --channel "\$IRC_CHANNEL" --nick "\$NICK"</p> <p>Ideally we would like that exact implementation to be available for quassel, using the internal core by default.</p> <p>Thanks, Bernard Gray</p>			